

Printing date 08/23/2016 Reviewed on 08/23/2016

1 Identification

· Product identifier

· Trade name: 40903 1K HS Clear

· Article number: 40903

- · Application of the substance / the mixture Coating
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SEM Products Inc. 1685 Overview Drive Rock Hill, SC 29730 803 207 8225

· Information department:

cust_care@semproducts.com: SEM Products,Inc. 1685 Overview Dr. Rock Hill, SC 29730: phone 1-800-831-1122, M - TH 7am - 4pm EDT

· Emergency telephone number: CHEMTREC 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture





GHS02 GHS04 Flame, Gas cylinder

Flam. Aerosol 1 H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS04

- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

ACRYLIC RESIN

bis(1,2,2,6,6-Pentamethyl-4-piperidinyl) sebacate

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS



Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

(Contd. of page 1)

· Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P251 Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source. P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P280 Wear eye protection / face protection. Wash thoroughly after handling. P264

P271 Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. P272

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P363 Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention. P333+P313

P337+P313 *If eye irritation persists: Get medical advice/attention.*

IF ON SKIN: Wash with plenty of water. P302+P352

P405 Store locked up.

Protect from sunlight. Store in a well-ventilated place. P410+P403

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 1Fire = 4Reactivity = 3

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.



Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description:

Mixture: consisting of the following components.

Weight percentages

· Dangerous components:			
68476-86-8	Petroleum gases, liquefied, sweetened	13 - 30%	
67-64-1	acetone	13 - 30%	
110-19-0	isobutyl acetate	13 - 30%	
110-43-0	heptan-2-one	10 -13%	
	ACRYLIC RESIN	5 - 7%	
763-69-9	ethyl 3-ethoxypropionate	1.5 - 5%	
25973-55-1	2-(2-HYDROXY-3-5-DI(TERT)-AMYLPHENYL)BENZOTRIAZOLE	≤1%	
41556-26-7	bis(1,2,2,6,6-Pentamethyl-4-piperidinyl) sebacate	≤1%	

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

(Contd. on page 4)



Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

(Contd. of page 3)

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

PEL	Long-term value: 2400 mg/m³, 1000 ppm	
REL	Long-term value: 590 mg/m³, 250 ppm	
TLV	Short-term value: 1187 mg/m³, 500 ppm Long-term value: 594 mg/m³, 250 ppm BEI	
110-	19-0 isobutyl acetate	
PEL	Long-term value: 700 mg/m³, 150 ppm	
REL	Long-term value: 700 mg/m³, 150 ppm	
TLV	Short-term value: 172 mg/m³, 150 ppm Long-term value: 238 mg/m³, 50 ppm	
110-	43-0 heptan-2-one	

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS



Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

(Contd. of page 4)

REL Long-term value: 465 mg/m³, 100 ppm TLV Long-term value: 233 mg/m³, 50 ppm

· Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses



Tightly sealed goggles

US/

Safety Data Sheet acc. to OSHA HCS

SEM

Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

9 Physical and chemical properties

(Contd. of page 5)

· Information on basic physical and chemical properties · General Information · Appearance: Form: Aerosol Color: According to product specification Characteristic · Odor: · Odor threshold: Not determined. Not determined. · pH-value: · Change in condition *Melting point/Melting range:* Undetermined. Boiling point/Boiling range: 55 °C -103 °C · Flash point: · Flammability (solid, gaseous): Not applicable. 405 °C · Ignition temperature: · Decomposition temperature: Not determined. · Auto igniting: Product is not selfigniting. In use, may form flammable/explosive vapour-air mixture. · Danger of explosion:

· Solubility Water:	in / Miscibility	with

· Vapor pressure at 20 °C:

Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity: Dynamic: Kinematic:

Not determined. Not determined.

1.0 Vol %

233 hPa

13.0 Vol %

 0.75128 g/cm^3

Not determined.

Not determined.

Not applicable.

· Solvent content:

· Explosion limits:

· Density at 20 °C:

· Relative density

· Evaporation rate

· Vapor density

Lower:

Upper:

Organic solvents: VOC content:

86.5 % 62.7 %

609.1 g/l / 5.08 lb/gl

Solids content: 13.5 %

· Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS



Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

(Contd. of page 6)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

USA

(Contd. on page 8)

SEM

Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	*******
DOT, ADR, IMDG, IATA	UN1950
UN proper shipping name	
DOT	Aerosols, flammable
ADR	1950 Aerosols
· IMDG	AEROSOLS
IATA	AEROSOLS, flammable
Transport hazard class(es)	
DOT	
A	
(EMMINULE CAS)	
*	
· Class	2.1
Label	2.1
ADR	
**	
Class	2 5F Gases
Label	2.1
· IMDG, IATA	
A	
Class	2.1
Label	2.1
Packing group	
DOT, ADR, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

	(Contd. of page
EMS Number:	F- D , S - U
Stowage Code	SW1 Protected from sources of heat.
-	SW22 For AEROSOLS with a maximum capacity of 1 litro
	Category A. For AEROSOLS with a capacity above 1 litro
	Category B. For WASTE AEROSOLS: Category C, Clear of livin
	quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litro
	Segregation as for class 9. Stow "separated from" class 1 except for
	division 1.4. For AEROSOLS with a capacity above 1 litr
	Segregation as for the appropriate subdivision of class 2. For
	WASTE AEROSOLS: Segregation as for the appropriate subdivision
	of class 2.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
DUI	
Quantity limitations	On passenger aircraft/rail: 75 kg
201	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
201	1 0 0
Quantity limitations	1 0 0
Quantity limitations ADR	On cargo aircraft only: 150 kg
Quantity limitations ADR	On cargo aircraft only: 150 kg Code: E0
Quantity limitations ADR Excepted quantities (EQ)	On cargo aircraft only: 150 kg Code: E0
Quantity limitations ADR Excepted quantities (EQ) IMDG	On cargo aircraft only: 150 kg Code: E0 Not permitted as Excepted Quantity
Quantity limitations ADR Excepted quantities (EQ) IMDG Limited quantities (LQ)	On cargo aircraft only: 150 kg Code: E0 Not permitted as Excepted Quantity 1L

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.		
· TSCA (Toxic Substances Control Act):		
67-64-1		
	isobutyl acetate	
	heptan-2-one	
	ethyl 3-ethoxypropionate	
	benzyl 3-isobutryloxy-1-isopropyl-2-2-dimethylpropyl phthalate	
	2-(2-HYDROXY-3-5-DI(TERT)-AMYLPHENYL)BENZOTRIAZOLE	
	bis(1,2,2,6,6-Pentamethyl-4-piperidinyl) sebacate	
82919-37-7	Methyl (1,2,2,6,6,- pentamethyl-4-piperidinyl) sebacate	

(Contd. on page 10)

acc. to OSHA HCS



Reviewed on 08/23/2016 Printing date 08/23/2016

Trade name: 40903 1K HS Clear

	(Contd. of page 9)
106-79-6 Dimethyl sebacate(Impurity)	,
2403-89-6 4-Piperidinol, 1,2,2,6,6 pentamethyl- (Impurity)	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
67-64-1 acetone	I
· TLV (Threshold Limit Value established by ACGIH)	
67-64-1 acetone	A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)	'
None of the ingredients is listed.	
CUS label elements The product is elegified and labeled according to the Clobally Ha	

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS04

- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

ACRYLIC RESIN

bis(1,2,2,6,6-Pentamethyl-4-piperidinyl) sebacate

· Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Do not pierce or burn, even after use. P251

P211 Do not spray on an open flame or other ignition source. P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

P280 Wear eye protection / face protection. Wash thoroughly after handling. P264

Use only outdoors or in a well-ventilated area. P271

(Contd. on page 11)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2016 Reviewed on 08/23/2016

Trade name: 40903 1K HS Clear

(Contd. of page 10)

P272 Contaminated work clothing must not be allowed out of the workplace.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor if you feel unwell. P312

P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 *If eye irritation persists: Get medical advice/attention.*

IF ON SKIN: Wash with plenty of water. P302+P352

P405 Store locked up.

P410+P403 *Protect from sunlight. Store in a well-ventilated place.*

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact: Steve Gaver (sgaver@semproducts.com)
- · Date of preparation / last revision 08/23/2016 / 11
- · Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Aerosol 1: Aerosols - Category 1

Press. Gas: Gases under pressure - Compressed gas

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.